



Transport
Canada

Transports
Canada

TRANSPORT CANADA
MMEL SUPPLEMENT
TO
ATR72-212A
MASTER MINIMUM EQUIPMENT LIST

DocuSigned by:

2BE2FBE348AE416...

Andreas Hartono

A/ Chief Flight Test

Chief, Flight Test
National Aircraft Certification
for Minister of Transport

August 14, 2023

Revision: 05

Canada 

INTENTIONALLY LEFT BLANK

**TRANSPORT CANADA
Master Minimum Equipment List
Supplement
ATR72-212A**

**Page: I
Revision: 05
Aug. 14, 2023**

List of Effective Pages

Title Page

List of Effective Pages	I	Revision 05	Aug. 14, 2023
	II	Revision 05	Aug. 14, 2023
	III	Revision 05	Aug. 14, 2023
Log of Revisions	IV	Revision 05	Aug. 14, 2023
Reasons for Changes	V	Revision 05	Aug. 14, 2023
Introduction	VI	Revision 05	Aug. 14, 2023
Pages	21-1	Revision 03	Feb. 21, 2020
	21-2	Revision 03	Feb. 21, 2020
	21-3	Original	Dec. 22, 2017
	22-1	Revision 03	Feb. 21, 2020
	22-2	Original	Dec. 22, 2017
	23-1	Revision 04	Jul. 25, 2023
	23-2	Original	Dec. 22, 2017
	23-3	Original	Dec. 22, 2017
	23-4	Original	Dec. 22, 2017
	23-5	Original	Dec. 22, 2017
	23-6	Original	Dec. 22, 2017
	23-7	Original	Dec. 22, 2017
	23-8	Original	Dec. 22, 2017
	23-9	Original	Dec. 22, 2017
	24-1	Original	Dec. 22, 2017
	25-1	Original	Dec. 22, 2017
	25-2	Original	Dec. 22, 2017
	25-3	Original	Dec. 22, 2017
	25-4	Original	Dec. 22, 2017
	25-5	Original	Dec. 22, 2017
	25-6	Original	Dec. 22, 2017
	25-7	Original	Dec. 22, 2017
	25-8	Original	Dec. 22, 2017
	25-9	Original	Dec. 22, 2017

TRANSPORT CANADA
Master Minimum Equipment List
Supplement
ATR72-212A

Page: II
Revision: 05
Aug. 14, 2023

List of Effective Pages (cont'd)

Pages	25-10	Original	Dec. 22, 2017
	25-11	Original	Dec. 22, 2017
	25-12	Original	Dec. 22, 2017
	26-1	Original	Dec. 22, 2017
	26-2	Original	Dec. 22, 2017
	26-3	Original	Dec. 22, 2017
	26-4	Original	Dec. 22, 2017
	26-5	Original	Dec. 22, 2017
	26-6	Revision 03	Feb. 21, 2020
	27-1	Original	Dec. 22, 2017
	27-2	Original	Dec. 22, 2017
	28-1	Original	Dec. 22, 2017
	30-1	Revision 03	Feb. 21, 2020
	30-2	Original	Dec. 22, 2017
	31-1	Original	Dec. 22, 2017
	31-2	Original	Dec. 22, 2017
	32-1	Original	Dec. 22, 2017
	33-1	Original	Dec. 22, 2017
	33-2	Original	Dec. 22, 2017
	33-3	Original	Dec. 22, 2017
	33-4	Original	Dec. 22, 2017
	33-5	Original	Dec. 22, 2017
	34-1	Revision 03	Feb. 21, 2020
	34-2	Original	Dec. 22, 2017
	34-3	Original	Dec. 22, 2017
	34-4	Revision 03	Feb. 21, 2020
	34-5	Revision 03	Feb. 21, 2020
	34-6	Revision 03	Feb. 21, 2020
	34-7	Revision 03	Feb. 21, 2020
	34-8	Revision 05	Aug. 14, 2023
	34-9	Revision 05	Aug. 14, 2023

**TRANSPORT CANADA
Master Minimum Equipment List
Supplement
ATR72-212A**

**Page: III
Revision: 05
Aug. 14, 2023**

List of Effective Pages (cont'd)

Pages	35-1	Original	Dec. 22, 2017
	35-2	Original	Dec. 22, 2017
	35-3	Original	Dec. 22, 2017
	36-1	Original	Dec. 22, 2017
	38-1	Original	Dec. 22, 2017
	38-2	Original	Dec. 22, 2017
	46-1	Revision 03	Feb. 21, 2020
	52-1	Revision 01	Jun. 08, 2018
	56-1	Original	Dec. 22, 2017
	61-1	Revision 02	Jul. 04, 2018
	77-1	Revision 03	Feb. 21, 2020
	79-1	Original	Dec. 22, 2017

TRANSPORT CANADA
Master Minimum Equipment List
Supplement
ATR72-212A

Page: IV
Revision: 05
Aug. 14, 2023

Log of Revisions

Revision No.	Date	Page Number	Initials
Original	Dec. 22, 2017	All	
01	Jun. 08, 2018	I to VI, 34-7, 34-8, 52-1, 61-1, 73-1, 77-1	
02	Jul. 04, 2018	I to VI, 61-1	
03	Feb. 21, 2020	I to VI, 21-1, 21-2, 22-1, 26-6, 30-1, 34-1, 34-4 to 34-7, 46-1, 77-1	
04	Jul. 25, 2023	I to VI, 23-1	
05	Aug. 14, 2023	I to VI, 34-8, 34-9	

Reasons for Changes

34-60-01 Added STC SA12-39.

Introduction

This Transport Canada MMEL Supplement constitutes a mandatory change to the EASA Approved MMEL for the ATR72-212A aircraft.

The following mods have not been validated in Canada and not included in this document:

Mod 5948 (ATR72-600)

Mod 6063

Mod 6977

Mod 7079

This MMEL Supplement must be used in conjunction with the EASA Approved MMEL (Revision 3 dated June 2019, or later applicable revision).

The information contained herein supersedes the existing EASA MMEL only for those items listed herein. For items not contained in this Supplement, consult the EASA Approved MMEL.

Operating and/or maintenance procedures referred to in this Supplement are the same as those supporting the EASA Approved MMEL unless otherwise indicated. Procedures required by the Transport Canada MMEL Supplement, and not indicated in the EASA Approved MMEL, must be provided by the operator.

The EASA Approved MMEL has entries where the “Remarks or Conditions” column states “as required by regulations”. Unless such an entry is superseded by an item in this Supplement, all references should be made to the applicable Canadian regulation.

This MMEL Supplement uses the standard four-column format as referenced in the Transport Canada MMEL/MEL Policy and Procedures Manual (TP 9155E). The same definitions and symbols as the EASA Approved MMEL are also used. Items that have no MMEL relief (i.e. relief withdrawn) are not categorized.

Comments and inquiries should be directed to:

Transport Canada
Chief, Flight Test - AARDC
National Aircraft Certification

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. 03 Date: Feb. 21, 2020		Page: 21-1	
System & Sequence Numbers		1.	2.	3. Number Installed	
				3. Number Required for Dispatch	
				4. Remarks or Exceptions	
21	AIR CONDITIONING				<p>NOTE: The following NOTE applies whenever an MMEL item contains a proviso requiring the associated cargo compartment remain empty: “NOTE: For ballast purposes, use of bags (made of glass fibre or kevlar) of sand or ingots of non-magnetic metals (such as lead) is acceptable.”</p>
30-01	Pressurization System				
	01 Passenger Configuration	C	1	0	(O)(M) The pressurization system (automatic and manual modes) may be inoperative for a non pressurized flight at or below 10,000 ft MSL provided that the outflow valves are secured in open position if manual mode is inoperative.
	02 Cargo Configuration	C	1	0	(O)(M) The pressurization system (automatic and manual modes) may be inoperative for a non pressurized flight at or below 10,000 ft MSL provided: a) No change from EASA MMEL, and b) No change from EASA MMEL.
31-03	Electropneumatic Outflow Valve	C	1	0	(M) No change from EASA MMEL.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. 03 Date: Feb. 21, 2020			Page: 21-2
System & Sequence Numbers	1.	2.	3. Number Installed Number Required for Dispatch		
			4. Remarks or Exceptions		
21 AIR CONDITIONING					
31-04 CABIN PRESS Indication					
01 ALT	C	1	0	(O)	No change from EASA MMEL.
	D	1	0	(O)	May be inoperative provided flight is conducted in an unpressurized configuration at or below 10,000 ft MSL.
02 RATE	C	1	0	(O)	May be inoperative provided all other instruments and functions of the pressurization system operate normally.
	D	1	0	(O)	May be inoperative provided flight is conducted in an unpressurized configuration at or below 10,000 ft MSL.
03 Pressure	C	1	0	(O)	No change from EASA MMEL.
	D	1	0	(O)	May be inoperative provided flight is conducted in an unpressurized configuration at or below 10,000 ft MSL.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 21-3	
System & Sequence Numbers		1.	2.	3. Number Installed Number Required for Dispatch	
				4. Remarks or Exceptions	
21 AIR CONDITIONING					
51-01	Pack Valve	C	2	1	(O)(M) No change from EASA MMEL.
51-02	Pack FAULT Alert	C	2	1	(O) No change from EASA MMEL.
61-01	Pack AUTO Temperature Control	C	2	1	(O) No change from EASA MMEL.
		C	2	1	No change from EASA MMEL.
61-02	Pack MAN Temperature Control	C	2	1	No change from EASA MMEL.
		C	2	1	No change from EASA MMEL.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. 03 Date: Feb. 21, 2020		Page: 22-1	
System & Sequence Numbers	1.	2.	3. Number Installed		
			3. Number Required for Dispatch		
			4. Remarks or Exceptions		
22					
AUTOMATIC FLIGHT CONTROL SYSTEM					
16-04	Autopilot Quick Disconnect (Quick Release Control)	C	2	1	(M) One may be inoperative provided: a) Autopilot function is not used below 1,500 ft AGL, b) Approach minimums do not require the use of the autopilot, and c) The pilot flying has the operative disconnect.
		-	2	0	No change from EASA MMEL.
18-02	Flight Director Function	C	1	0	(O) Except where enroute operations require its use, may be inoperative provided: a) Approach procedures are not dependent on its use, b) Autopilot is considered inoperative, c) Windshear escape guidance is considered inoperative, and d) If installed, takeoff and/or go-around switches are considered inoperative. NOTE: No change from EASA MMEL.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 22-2	
System & Sequence Numbers	1.	2.	3. Number Installed		
			3. Number Required for Dispatch		
			4. Remarks or Exceptions		
22					
AUTOMATIC FLIGHT CONTROL SYSTEM					
36-02	Autopilot Disconnect Aural Alert	B	1	0	No change from EASA MMEL.
		B	1	0	(O) May be inoperative provided: a) Both AP OFF lights are checked operative prior to each departure, and b) Autopilot function is not used below 1,500 ft AGL.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. 04 Date: Jul. 25, 2023		Page: 23-1	
System & Sequence Numbers		1.	2.	3. Number Installed Number Required for Dispatch	
				4. Remarks or Exceptions	
23 COMMUNICATIONS					
12-01	VHF System	D	-	2	Any in excess of those required by regulations may be inoperative provided: a) It is not powered by a standby or emergency bus, and b) It is not required for emergency procedures.
		B	2	1	No. 2 VHF transceiver may be inoperative provided HF is installed and operative. NOTE: If ACARS is installed, VHF3 must not be counted in the number of VHF required by regulations.
	Sub-items (02) through (05)				No change from EASA MMEL.
15-01	Satellite Communication (SATCOM) System (STC SA11-17)	D	1	0	(O)(M) May be inoperative.
26-01	Automated Flight Information Reporting System (AFIRS 228) (STC SA12-35)	C	1	0	(O) May be inoperative provide alternate procedures are established and used.
		D	1	0	May be inoperative provided procedures do not require its use. NOTE: Any portion of the system that operates normally may be used.
	01 SATCOM	C	1	0	(O) May be inoperative provided alternate procedures are established and used.
		D	1	0	May be inoperative provided procedures do not require its use.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 23-2	
System & Sequence Numbers	1.	2.	Number Installed		
			3. Number Required for Dispatch		
			4. Remarks or Exceptions		
23	COMMUNICATIONS				
31-01	Passenger Address System				
01	Passenger Configuration	B	1	0	(O) May be inoperative provided:
					a) Alternate, normal, and emergency procedures, and/or operating restrictions are established and used,
					b) Flight deck / cabin interphone system (two way) with associated calls (e.g. chimes) is verified operative prior to each flight, and
					c) Megaphone is readily available and operative.
					NOTE: Any station function(s) that operates normally may be used.
02	Cargo Configuration	D	1	0	May be inoperative provided all crew members are on the flight deck.
03	Non-Passenger Carrying Operations	A	1	0	(O) May be inoperative for non-passenger carrying operations for one flight day provided:
					a) Crew members are the only occupants of the aircraft, and
					b) Alternate procedures are established and used.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017			Page: 23-3	
System & Sequence Numbers		1.	2.	Number Installed		
				3.	Number Required for Dispatch	
					4. Remarks or Exceptions	
23	COMMUNICATIONS					
31-02	Pre-recorded Announcement (Passenger Briefing System) (if installed)					
01	Passenger Configuration	C	1	0	(O)	May be inoperative provided alternate procedures are established and used.
02	Cargo Configuration	D	1	0		May be inoperative provided all crew members are on the flight deck.
44-01	Interphone System					
01	Ground Call Horn	C	1	0	(O)	No change from EASA MMEL.
02	Flight Deck to Flight Deck	-	-	-		Refer to items 23-50-01, 23-50-02, and 23-50-03.
03	Flight Deck to Cabin / Cabin to Flight Deck	B	-	1	(O)	May be inoperative provided: <ul style="list-style-type: none"> a) An operative flight deck/cabin interphone system (two way) is at an operative cabin attendant seat, b) The Passenger Address system is verified operative prior to each flight, and c) Alternate communications procedures are established and used. <p>NOTE: Any station function(s) that operates normally may be used.</p>

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A	Revision No. Original Date: Dec. 22, 2017	Page: 23-4
System & Sequence Numbers	1.	2. Number Installed
		3. Number Required for Dispatch
		4. Remarks or Exceptions
23 COMMUNICATIONS		
44-01 Interphone System (cont'd)		
03 Flight Deck to Cabin / Cabin to Flight Deck (cont'd)		
A) Non-Passenger Carrying Operations	A	- 0 (O) May be inoperative for non-passenger carrying operations for one flight day provided: a) Crew members are the only occupants of the aircraft, and b) Alternate procedures are established and used.
B) Cargo Configuration	D	- 0 May be inoperative provided all crew members are on the flight deck.
04 Cabin to Cabin	B	- 1 (O) May be inoperative provided: a) An operative cabin interphone system (two way) is at an operative cabin attendant seat, b) The Passenger Address system is verified operative prior to each flight, and c) Alternate communications procedures are established and used. NOTE: Any station function(s) that operates normally may be used.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 23-5	
System & Sequence Numbers		1.	2.	3. Number Installed	
				3. Number Required for Dispatch	
				4. Remarks or Exceptions	
23	COMMUNICATIONS				
44-01	Interphone System (cont'd)				
	04 Cabin to Cabin (cont'd)				
	A) Non-Passenger Carrying Operations	A	-	0	(O) May be inoperative for non-passenger carrying operations for one flight day provided: a) Crew members are the only occupants of the aircraft, and b) Alternate procedures are established and used.
	B) Cargo Configuration	D	-	0	May be inoperative provided all crew members are on the flight deck.
	05 Flight Crew to Ground / Ground to Flight Crew	C	1	0	(O) May be inoperative provided alternate procedures are established and used.
		D	1	0	May be inoperative provided procedures are not dependent on its use.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 23-6	
System & Sequence Numbers		1.	2.	3. Number Installed Number Required for Dispatch	
				4. Remarks or Exceptions	
23	COMMUNICATIONS				
44-01	Interphone System (cont'd)				
	06 Alerting System				
	A) Visual Alert (Flight Deck)	B	-	0	May be inoperative provided the flight deck aural alert is operative.
	B) Visual Alert (Cabin)	B	1	0	May be inoperative provided: a) The PA system is operative, and b) Affected alert is not used for lavatory smoke detector alerting.
	C) Aural Alert (Cabin)	B	1	0	May be inoperative provided: a) The PA system is operative, and b) Affected alert is not used for lavatory smoke detector alerting.
	07 Handsets				
	A) Flight Deck Handset	C	1	0	(O) May be inoperative provided: a) Flight deck to cabin communication operates normally, and b) Alternate procedures are established and used.
		D	1	0	May be inoperative provided routine procedures do not require its use.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 23-7	
System & Sequence Numbers		1.	2.	3. Number Installed	
				3. Number Required for Dispatch	
				4. Remarks or Exceptions	
23	COMMUNICATIONS				
44-01	Interphone System (cont'd)				
	07 Handsets (cont'd)				
	B) Cabin Handset(s)	B	-	-	(O) May be inoperative provided: a) Fifty percent of cabin handsets operate normally, b) Operative handset(s) is located at an operative cabin attendant seat, and c) Alternate communications procedures between the affected cabin attendant station(s) are established and used. NOTES: 1. An operative handset at an inoperative cabin attendant seat shall not be counted to satisfy the fifty percent requirement. 2. Any handset(s) function(s) that operates normally may be used.
	C) Cargo Compartment Handset(s) (Cargo configuration)	D	-	0	Handsets located in the cargo compartment may be inoperative or inaccessible provided compartment remains unoccupied.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 23-8	
System & Sequence Numbers	1.	2.	3.	4.	
			Number Installed	Number Required for Dispatch	
				Remarks or Exceptions	
23	COMMUNICATIONS				
50-01	Audio Control Panel	-	-	Must be operative for each person on flight deck duty including any person occupying the observer's seat in an official capacity.	
	01 Observer Seat Panel	B	1	0	May be inoperative.
		D	1	0	May be inoperative provided the seat is not required to be available in an official capacity for extended periods of time.
50-04	Boom Set				
	01 Headset Function	C	-	-	Headset function may be inoperative on any boom set provided alternate headset is installed, operative and used.
	02 Microphone Function	A	-	0	One or more may be inoperative provided: a) Flight data recorder is operative, b) Hand microphone is installed, operative and used, and c) Repairs are made within three flight days.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 23-9	
System & Sequence Numbers		1.	2.	3. Number Installed	
				3. Number Required for Dispatch	
				4. Remarks or Exceptions	
23	COMMUNICATIONS				
50-05	Cockpit Loudspeaker	C	2	0	May be inoperative provided: <ul style="list-style-type: none"> a) Procedures are not dependent on their use, b) Headsets are installed and used by each person on flight deck duty, c) All aural alerts, messages and other communication which are normally routed through the flight deck speakers must be audible through the headsets, and d) A spare headset must be readily available for crew use.
71-01	Cockpit Voice Recorder	A	1	0	May be inoperative provided: <ul style="list-style-type: none"> a) The Flight Data Recorder is operative, and b) Repairs are made within three flight days.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 24-1	
System & Sequence Numbers		1.	2.	3. Number Installed	
				3. Number Required for Dispatch	
				4. Remarks or Exceptions	
24	ELECTRICAL POWER				
21-03	AC Generation Bus Tie Relay (BTR)	B	1	0	No change from EASA MMEL.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A	Revision No. Original Date: Dec. 22, 2017	Page: 25-1		
System & Sequence Numbers	1.	2.	3.	4.
		Number Installed	Number Required for Dispatch	Remarks or Exceptions
25 EQUIPMENT				
11-02 Flight Deck Observer Seat	B	1	0	(M) May be inoperative except when required by a person in an official capacity provided the seat is removed, stowed, or secured in the retracted position.
	D	1	0	(M) May be inoperative provided: a) The seat is not required to be occupied in an official capacity for extended periods of time, and b) The seat is removed, stowed, or secured in the retracted position.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 25-2	
System & Sequence Numbers		1.	2.	Number Installed	
				3. Number Required for Dispatch	
				4. Remarks or Exceptions	
25	EQUIPMENT				
21-01	Required Cabin Attendant Seat	B	-	1	(O)(M) One seat position may be inoperative provided: <ul style="list-style-type: none"> a) Affected seat position is not occupied, b) Cabin attendant(s) displaced by inoperative seat(s) occupies either an adjacent cabin attendant seat or the passenger seat which is most accessible to the inoperative seat(s), so as to most effectively perform assigned duties, c) Alternate procedures are established and used as published in crewmember manuals, d) Folding type seat stows automatically or is secured in the retracted position, and e) Passenger seat assigned to cabin attendant is placarded "FOR CABIN ATTENDANT USE ONLY". NOTES: <ul style="list-style-type: none"> 1. An automatic folding seat that will not stow automatically is considered inoperative. 2. A seat position with a missing or inoperative required component, such as safety belt (including shoulder harness) or headrest, renders the seat inoperative.
01	Cargo Configuration / Non-Passenger Carrying Operations	D	-	0	May be inoperative provided affected seat is not occupied.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 25-3	
System & Sequence Numbers		1.	2.	3. Number Installed	
				3. Number Required for Dispatch	
				4. Remarks or Exceptions	
25	EQUIPMENT				
21-02	Non-Required Cabin Attendant Seat	D	-	0	(M) Seats in excess of requirements and not assigned to a cabin attendant may be inoperative provided they are not occupied, are placarded and are: a) Properly stowed, or b) Secured in the retracted position, or c) Removed. NOTES: 1. An automatic folding seat that will not stow automatically is considered inoperative. 2. A seat position with a missing or inoperative required component, such as safety belt (including shoulder harness) or headrest, renders the seat inoperative.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017	Page: 25-4
System & Sequence Numbers	1.	2. Number Installed	3. Number Required for Dispatch
			4. Remarks or Exceptions
25 EQUIPMENT			
25-01 Passenger Convenience / NEF Item(s)			<p>NOTES:</p> <ol style="list-style-type: none"> Operators are to select either Passenger Convenience Items or NEF (Non-Essential Equipment and Furnishings) in their MELs. For operators with NEF defect rectification and control procedures, refer to sub-item 02 (NEF) only.
01 Passenger Convenience Items	-	0	<p>Passenger convenience items as expressed in this MMEL are those related to passenger convenience, comfort or entertainment, such as, but not limited to – galley equipment, movie equipment, ashtrays, stereo equipment, and overhead reading lamps. Items addressed elsewhere in this document shall not be included.</p> <p>(M) and (O) procedures may be required and included in the MEL.</p> <p>NOTES:</p> <ol style="list-style-type: none"> Exterior lavatory door ashtrays are not considered convenience items. Galley equipment restraining devices such as latches, etc. must be serviceable or the compartment must not be used for storage and placarded "INOPERATIVE - DO NOT USE". Movie equipment individual screens, if applicable, must be capable of being stowed. Audio or audio-visual entertainment equipment which is used as the sole means of providing safety briefings and demonstrations is not considered a passenger convenience item.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 25-5
System & Sequence Numbers		1.	2.	3. Number Installed
				4. Number Required for Dispatch
				4. Remarks or Exceptions
25	EQUIPMENT			
25-01	Passenger Convenience / NEF Item(s) (cont'd)			
	02 Non-Essential Equipment and Furnishings (NEF)	-	0	<p>May be inoperative, damaged or missing provided that the item(s) is deferred in accordance with the operator's defect rectification and control procedures. The NEF policies are outlined in the operator's Maintenance Control Manual. (M) and (O) procedures, if required, must be available to the flight crew and included in the operator's appropriate document.</p> <p>NOTE: Exterior lavatory door ashtrays are not considered NEF items.</p>

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 25-6	
System & Sequence Numbers		1.	2.	3. Number Installed	
				3. Number Required for Dispatch	
				4. Remarks or Exceptions	
25	EQUIPMENT				
28-01	Overhead Storage Bin(s) / Cabin and Galley Storage Compartments / Closets	C	-	-	(M) May be inoperative provided: a) Procedures are established and used to secure bins/compartments/closets CLOSED, b) Associated bin/compartment/closet is prominently placarded DO NOT USE, c) Any emergency equipment located in affected bin/compartment/closet is considered inoperative, and d) Affected bin/compartment/closet is not used for storage of any item(s) except for those permanently affixed. NOTES: 1. If no partitions are installed, the entire overhead storage compartment is considered one bin or compartment. 2. An inoperative lid/door latch renders the lid/door inoperative.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 25-7
System & Sequence Numbers	1.	2.	Number Installed	
			3. Number Required for Dispatch	
			4. Remarks or Exceptions	
25	EQUIPMENT			
28-01	Overhead Storage Bin(s) / Cabin and Galley Storage Compartments / Closets (cont'd)	C	-	-
			(O)(M) May be inoperative provided: <ol style="list-style-type: none"> a) Affected bin/compartments/closet door(s) is removed, b) Associated bin/compartments/closet is not used for storage of any items, except those permanently affixed, c) Associated bin/compartments/closet is prominently placarded DO NOT USE, d) Procedures are established and used to alert crew members and passengers of inoperative bins/compartments/closets, and e) Passengers are briefed that associated bin/compartments/closet is not used. NOTES: <ol style="list-style-type: none"> 1. If no partitions are installed, the entire overhead storage compartment is considered one bin or compartment. 2. Any emergency equipment located in the associated compartment (permanently affixed) is available for use. 3. An inoperative lid/door latch renders the lid/door inoperative. 	

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 25-8	
System & Sequence Numbers		1.	2.	3. Number Installed	
				4. Number Required for Dispatch	
				4. Remarks or Exceptions	
25 EQUIPMENT					
31-01 Passenger Seats					
01	Passenger Seats	D	-	-	(M) No change from EASA MMEL.
02	Underseat Baggage Restraining Bars	C	-	-	(O) No change from EASA MMEL.
03	Passenger Seats Armrest				
	A) Armrest with Recline Mechanism	D	-	-	(M) May be inoperative or missing and seat occupied provided: a) Armrest does not block an emergency exit, b) Armrest does not restrict any passenger from access to the main aircraft aisle, and c) If armrest is missing, seat is secured in the full upright position.
	B) Armrest without Recline Mechanism	D	-	-	May be inoperative or missing and seat occupied provided: a) Armrest does not block an emergency exit, and b) Armrest does not restrict any passenger from access to the main aircraft aisle.
04	Recline Mechanism	D	-	-	(M) May be inoperative and seat occupied provided seat is secured in the full upright position.
		C	-	-	May be inoperative and seat occupied provided seat back is immovable in the full upright position.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 25-9	
System & Sequence Numbers		1.	2.	3. Number Installed	
				4. Number Required for Dispatch	
				4. Remarks or Exceptions	
25	EQUIPMENT				
40-01	Cabin Attendant Flashlights / Flashlight Holders				
	01 Flashlights	C	-	0	(O) May be inoperative or missing provided each inoperative or missing cabin attendant flashlight is replaced with a flashlight of equivalent characteristics readily available.
	02 Holders	C	-	0	(O)(M) May be inoperative or missing provided alternate stowage provisions are provided.
41-01	Exterior Lavatory Door Ashtray	A	1	0	May be missing or inoperative for 10 calendar days. NOTE: Interior lavatory ashtrays are considered under passenger convenience items / NEF and are not required by regulations.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 25-10	
System & Sequence Numbers	1.	2.	3.	4.	
			Number Installed	Number Required for Dispatch	
				Remarks or Exceptions	
25	EQUIPMENT				
45-01	Portable Protective Breathing Equipment (if applicable)	D	-	-	(O)(M) Any in excess of those required by regulations may be inoperative or missing provided: a) Required distribution of operative units is maintained throughout the aircraft, b) The inoperative protective breathing equipment unit is removed from the passenger cabin and its location is placarded INOPERATIVE, or it is removed from the installed location, secured out of sight and the protective breathing equipment unit and its installed location are placarded INOPERATIVE, and c) Procedures are established and used to alert crew members of inoperative or missing equipment.
48-01	Lavatory NO SMOKING Placards	B	-	-	May be missing provided the associated lavatory smoke detection system is operative.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 25-11	
System & Sequence Numbers		1.	2.	3. Number Installed Number Required for Dispatch	
				4. Remarks or Exceptions	
25 EQUIPMENT					
60-01	ELT - Emergency Locator Transmitter	A	-	-	(M) As required by regulations (CAR 605.39).
		D	-	-	Any in excess of those required may be inoperative.
62-01	Megaphones	D	-	-	(O)(M) Any in excess of those required by regulations may be inoperative or missing provided: a) Inoperative megaphone is removed from the passenger cabin and its location is placarded INOPERATIVE, or it is removed from the installed location, secured out of sight and the megaphone and its installed location are placarded INOPERATIVE, b) Required distribution is maintained, and c) Procedures are established and used to alert crew members of inoperative or missing megaphones.
	01 All Cargo Operations	D	-	0	May be inoperative provided all crew members are on the flight deck.
64-01	Crash Axe		1	1	Must be operative.
64-02	Lifejackets (if applicable)	C	-	-	Any in excess of those required by regulations may be inoperative or missing.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 25-12	
System & Sequence Numbers		1.	2.	3. Number Installed	
				4. Number Required for Dispatch	
				4. Remarks or Exceptions	
25 EQUIPMENT					
68-01	First Aid Kit	D	-	-	(O) Any kit or items contained in the kit in excess of those required by regulations may be incomplete or missing provided: a) Required distribution is maintained, and b) Procedures are established and used to alert crew members of missing or incomplete kits.
	01 First Aid Kit Seal (Required First Aid Kits)	A	-	-	(O) The seal affixed on the exterior of any required first aid kit may be missing or broken for three flight days provided: a) The first aid kit is fully equipped or the kit has a maximum of one missing item, b) The kit includes a list of its contents, c) An inventory is taken on the content of the kit prior to departure, and d) Procedures are established and used to alert crew members of: 1) The missing or broken seal, and 2) The need to perform an inventory under proviso c).
68-02	Emergency Medical Kit	D	-	-	(O) Any kit or items contained in the kit in excess of those required by regulations may be incomplete or missing provided procedures are established and used to alert crew members of missing or incomplete kits.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A	Revision No. Original Date: Dec. 22, 2017	Page: 26-1	
System & Sequence Numbers	1.	2.	Number Installed
			3. Number Required for Dispatch
			4. Remarks or Exceptions
26	FIRE PROTECTION		
15-01	Cargo Smoke Alert		
01	Passenger Configuration	C	-
			0
02	Cargo Configuration	C	-
			0
			<p>NOTE: The following NOTE applies whenever an MMEL item contains a proviso requiring the associated cargo compartment remain empty: “NOTE: For ballast purposes, use of bags (made of glass fibre or kevlar) of sand or ingots of non-magnetic metals (such as lead) is acceptable.”</p> <p>May be inoperative provided cargo is not carried in associated compartment.</p> <p>May be inoperative provided cargo is not carried in any compartment.</p>

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 26-2	
System & Sequence Numbers		1.	2.	3.	4.
			Number Installed	Number Required for Dispatch	Remarks or Exceptions
26	FIRE PROTECTION				
17-01	Toilet Smoke Detection System (if installed)				
01	Passenger Configuration	C	1	0	(O)(M) The toilet smoke detection system may be inoperative provided: a) Toilet is not used by passengers for any purpose, b) Toilet waste receptacle is empty, c) Toilet door is locked closed and placarded "INOPERATIVE - DO NOT ENTER", d) Access to waste receptacle from outside the toilet must be secured closed and placarded "INOPERATIVE - DO NOT USE", e) Toilet is used only by crew members, and f) In-flight service waste bags are not stored in the toilet. NOTE: The above-mentioned provisos are not intended to preclude crew member toilet inspections, which must be detailed in the (O) procedures.
02	Cargo Configuration	C	1	0	(O) The toilet smoke detection system may be inoperative provided: a) Crew members have been briefed as to which toilet smoke detection system(s) is inoperative, and b) In-flight service waste bags are not stored in the toilet. NOTE: The above-mentioned provisos are not intended to preclude crew member toilet inspections, which must be detailed in the (O) procedures.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 26-3	
System & Sequence Numbers		1.	2.	3. Number Installed	
				3. Number Required for Dispatch	
				4. Remarks or Exceptions	
26	FIRE PROTECTION				
17-01	Toilet Smoke Detection System (cont'd)				
02	Cargo Configuration (cont'd)	D	1	0	(O)(M) The toilet smoke detection system may be inoperative provided: a) Crew members have been briefed as to which toilet smoke detection system(s) is inoperative, b) The toilet is placarded, "INOPERATIVE - DO NOT ENTER", and c) In-flight service waste bags are not stored in the toilet. NOTE: The above-mentioned provisos are not intended to preclude crew member toilet inspections, which must be detailed in the (O) procedures.
03	Non-Passenger Carrying Operations	B	1	0	(O) The toilet smoke detection system may be inoperative for non-passenger carrying operations provided: a) Crew members are the only occupants of the aircraft, b) Occupants are briefed as to which smoke detection system(s) is/are inoperative, and c) In-flight service waste bags are not stored in the toilet. NOTE: The above-mentioned provisos are not intended to preclude crew member toilet inspections, which must be detailed in the (O) procedures.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 26-4	
System & Sequence Numbers		1.	2.	3. Number Installed	
				4. Number Required for Dispatch	
				4. Remarks or Exceptions	
26	FIRE PROTECTION				
25-01	Toilet Fire Extinguishing System				
	01 Passenger Configuration	C	1	0	(O) The toilet fire extinguishing system may be inoperative provided the toilet smoke detection system is operative.
		C	1	0	(O)(M) The toilet fire extinguishing system may be inoperative provided: <ul style="list-style-type: none"> a) Toilet is not used by passengers for any purpose, b) Toilet waste receptacle is empty, c) Toilet door is locked closed and placarded "INOPERATIVE - DO NOT ENTER", d) Access to waste receptacle from outside the toilet must be secured closed and placarded "INOPERATIVE - DO NOT USE", and e) Toilet is used only by crew members.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 26-5	
System & Sequence Numbers		1.	2.	3. Number Installed	
				4. Number Required for Dispatch	
				4. Remarks or Exceptions	
26	FIRE PROTECTION				
25-01	Toilet Fire Extinguishing System (cont'd)				
02	Cargo Configuration	C	1	0	(O) The toilet fire extinguishing system may be inoperative provided crew members have been briefed as to which toilet fire extinguishing system(s) is inoperative.
		D	1	0	(O)(M) The toilet fire extinguishing system may be inoperative provided: a) Crew members have been briefed as to which toilet fire extinguishing system(s) is inoperative, and b) The waste receptacle is emptied, secured closed and placarded "INOPERATIVE - DO NOT USE".
03	Non-Passenger Carrying Operations	B	1	0	(O) The toilet fire extinguishing system may be inoperative for non-passenger carrying operations provided: a) Crew members are the only occupants of the aircraft, and b) Occupants have been briefed as to which toilet fire extinguishing system(s) is/are inoperative.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. 03 Date: Feb. 21, 2020		Page: 26-6	
System & Sequence Numbers		1.	2.	3. Number Installed	
				3. Number Required for Dispatch	
				4. Remarks or Exceptions	
26	FIRE PROTECTION				
30-01	Cabin Hand Fire Extinguisher	D	-	-	(O)(M) Any in excess of those required by regulations may be inoperative or missing provided: <ul style="list-style-type: none"> a) The inoperative fire extinguisher(s) is/are removed from the passenger cabin, flight deck, and/or class E cargo compartment that is accessible to crew members during flight, and its location is placarded INOPERATIVE, or it is removed from the installed location, secured out of sight and the fire extinguisher and its installed location are placarded INOPERATIVE, b) Required distribution is maintained in the passenger compartment on each deck, the flight deck and each class E cargo compartment that is accessible to crew members during flight, as applicable, and c) Procedures are established to alert crew members of missing hand fire extinguishers.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 27-1	
System & Sequence Numbers		1.	2.	3. Number Installed	
				3. Number Required for Dispatch	
				4. Remarks or Exceptions	
27	FLIGHT CONTROLS				
20-01	Rudder Damper	C	1	0	(O) May be inoperative provided for taxi and takeoff: a) Maximum crosswind is limited to 15 kt, b) Maximum total wind is limited to 30 kt, and c) Nose wheel steering operates normally.
28-01	Rudder Pedal Adjustment	C	2	0	(M) May be inoperative provided: a) Rudder pedals can be secured in a position which meets individual pilot requirements, and b) Full and unrestricted movement of the rudder pedals and brake pedal deflection is possible at both pilot stations.
32-01	Pitch Trim Rocking Levers	C	2	1	One may be inoperative for the pilot not flying provided standby pitch trim operates normally.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 27-2	
System & Sequence Numbers		1.	2.	3. Number Installed	
				3. Number Required for Dispatch	
				4. Remarks or Exceptions	
27	FLIGHT CONTROLS				
36-01	Stick Shaker Actuator	A	2	1	(M)(O) One may be inoperative for one ferry flight provided: a) MFC modules 1B and 2B are operative, b) Affected system is deactivated, c) Remaining system is checked by an acceptable procedure and verified to operate normally before each departure, and d) Flight is not conducted in known or forecast icing conditions.
36-02	Stick Pusher Actuator		1	1	Must be operative.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 28-1
System & Sequence Numbers	1.	2.	Number Installed	3. Number Required for Dispatch
				4. Remarks or Exceptions
28 FUEL SYSTEM				
25-02 Pressure Refueling Cap	A	1	0	(M) May be inoperative (missing) provided: a) Refueling receptacle is checked for contamination before each refueling, b) No leakage can be detected after refueling is complete, and c) Repair (replacement) is made within three flight days.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. 03 Date: Feb. 21, 2020		Page: 30-1	
System & Sequence Numbers		1.	2.	3. Number Installed	
				3. Number Required for Dispatch	
				4. Remarks or Exceptions	
30 ICE AND RAIN PROTECTION					
30-01	Probe Heating - Pitot	B	3	2	<p>Except where enroute operations and/or ETOPS require its use, one may be inoperative provided:</p> <ul style="list-style-type: none"> a) Flight is conducted in day VMC, b) Flight is not conducted in visible moisture, and c) Flight is not conducted in known or forecast icing conditions.
30-02	Probe Heating - Static	B	6	5	<p>Except where enroute operations and/or ETOPS require its use, one may be inoperative provided:</p> <ul style="list-style-type: none"> a) Both STBY are operative, and b) Flight is not conducted in known or forecast icing conditions.
31-03	Probe Heating - Alert	B	10	6	<p>(M) May be inoperative provided:</p> <ul style="list-style-type: none"> a) Two pitot alerts are operative, b) Two static alerts are operative, c) One TAT alert is operative, d) One alpha alert is operative, e) Heating system associated to failed alerts are checked operative prior to each departure, and f) Flight is not conducted in known or forecast icing conditions.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 30-2
System & Sequence Numbers	1.	2.	Number Installed	3. Number Required for Dispatch
				4. Remarks or Exceptions
30 ICE AND RAIN PROTECTION				
60-01 Window Heating - Windshield	C	2	1	<p>One may be inoperative provided flight is not conducted in known or forecast icing conditions.</p> <p>NOTE: Remaining MMEL reliefs are not permitted.</p>

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 31-1	
System & Sequence Numbers		1.	2.	3.	4.
			Number Installed	Number Required for Dispatch	Remarks or Exceptions
31	INSTRUMENTS				
32-01	Digital Flight Data Recorder - DFDR	A	1	0	May be inoperative provided: a) Cockpit Voice Recorder is operative, and b) Repairs are made within three flight days.
01	Digital FDR Recording Parameters required by regulations.	A	-	-	Up to three digital recording parameters may be inoperative provided: a) Cockpit Voice Recorder is operative, and b) Repairs are made within twenty calendar days.
02	Digital FDR Recording Parameters not required by regulations.	A	-	-	May be inoperative provided repairs are made before the completion of the next heavy maintenance visit.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 31-2	
System & Sequence Numbers		1.	2.	3. Number Installed	
				3. Number Required for Dispatch	
				4. Remarks or Exceptions	
31	INSTRUMENTS				
53-04	Crew Alerting Panel (CAP)				
01	System Alert Lights	A	-	0	(M) One or more warning or caution lights may be inoperative provided: a) Associated Warning or Caution (aural) alert operates normally, b) Local alert light on associated system panel operates normally, and c) Repairs are made within three calendar days. NOTE 1: FLAPS UNLOCK light may be inoperative provided flaps are considered inoperative. Refer to item 27-51-01. NOTE 2: EXCESS CAB ALT light may be inoperative provided flight level is limited to 10,000 ft MSL.
02	RCL Function	A	1	0	(O) May be inoperative provided: a) Alternate procedures for recording ALERTS are established and used, and b) Repairs are made within three calendar days.
03	CLR Function	A	1	0	May be inoperative provided: a) All fire warning logic operates normally, and b) Repairs are made within three calendar days.
04	TO INHI Function	A	1	0	May be inoperative provided: a) It remains in a non-inhibit mode, and b) Repairs are made within three calendar days.
53-06	TO CONFIG Test	B	1	0	(O) May be inoperative provided alternate procedures are established and used.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 32-1	
System & Sequence Numbers		1.	2.	3. Number Installed	
				4. Number Required for Dispatch	
				4. Remarks or Exceptions	
32	LANDING GEAR				
42-02	Anti-Skid System	B	1	0	(O) No change from EASA MMEL.
51-01	Nose Wheel Steering	C	1	0	(O) May be inoperative provided: a) Centering function is not affected, b) All brakes are operative, c) Maximum crosswind component is limited to 15 kt, d) Aircraft is not operated on narrow runways (width < 30 m (98 ft)), and e) Both Electronic Engine Controls (EEC) operate normally.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 33-1	
System & Sequence Numbers		1.	2.	3.	4.
			Number Installed	Number Required for Dispatch	Remarks or Exceptions
33	LIGHTS				
10-01	Cockpit Lights	C	-	-	Individual lights may be inoperative provided remaining lights are: a) Sufficient to clearly illuminate all required instruments, controls and other devices for which it is provided, b) Positioned so that direct rays are shielded from flight crew member's eyes, c) Lighting configuration and intensity is acceptable to the flight crew, and d) RH dome and STBY instruments integrated lights are operative.
		D	-	0	May be inoperative for day operations.
10-02	Cabin Lights				
	01 Passenger Configuration				
	Without Mod 5040	C	-	-	No change from EASA MMEL.
	With Mod 5040	C	-	-	No change from EASA MMEL.
	02 Cargo Configuration	C	-	-	Individual lights may be inoperative provided remaining lights are sufficient for the inspection of cargo for the verification of cargo restraint.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 33-2	
System & Sequence Numbers		1.	2.	3. Number Installed Number Required for Dispatch	
				4. Remarks or Exceptions	
33	LIGHTS				
26-01	Cabin Signs (No Smoking / Fasten Seat Belt / Return to Cabin Lights)				
01	Passenger Configuration	C	-	-	(M) Passenger seats, cabin attendant seats or lavatories from which a sign is not readily legible shall not be occupied and must be blocked and placarded "DO NOT OCCUPY".
		C	-	-	(O) The affected seats or lavatories may be occupied provided: a) The crew call/cabin interphone system including associated chimes and PA system are operative, and b) Procedures are established and used to alert cabin attendants and notify passengers when seat belts should be fastened, return to seat is requested and smoking prohibited.
		A	-	-	(O) May be inoperative for one flight day for non-passenger carrying operations provided: a) Crew members are the only occupants of the aircraft, and b) Alternate procedures are established and used.
	Aural Tone Function	C	-	0	(O) May be inoperative provided alternate procedures are established and used.
02	All Cargo Operations	D	-	0	May be inoperative provided all crew members are on the flight deck.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 33-3	
System & Sequence Numbers		1.	2.	3. Number Installed	
				3. Number Required for Dispatch	
				4. Remarks or Exceptions	
33 LIGHTS					
42-01	LAND Light	C	2	1	No change from EASA MMEL.
		D	2	0	No change from EASA MMEL.
43-01	STROBE Light (if installed)	C	3	0	One or more STROBE lights may be inoperative provided that all BEACON lights are operative.
		C	3	0	May be inoperative for day operations.
46-01	TAXI & TO Light	C	2	1	One may be inoperative for night operations provided one LAND light is operative.
		C	2	0	One or both may be inoperative for day operations.
49-01	WING Inspection Light		2	2	Must be operative for night operations.
		C	2	0	No change from EASA MMEL.
49-02	IEP Light		1	1	Must be operative for night operations.
		C	1	0	No change from EASA MMEL.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 33-4
System & Sequence Numbers	1.	2.	3.	4.
			Number Installed	Number Required for Dispatch
				Remarks or Exceptions
33 LIGHTS				
50-02 Floor Proximity Emergency Escape Path Marking Lights		1	1	System must be operative for passenger carrying operations.
01 Passenger Configuration				
A) Electrical Lighting Systems	C	-	-	Individual lights may be inoperative provided compliance is shown with minimum acceptable lighting as required by certification documents.
B) Photoluminescent Systems	C	1	-	Specified sections of the photoluminescent system may be inoperative provided compliance is shown with minimum acceptable lighting as required by certification documents.
02 Non-Passenger Carrying Operations	D	1	0	May be inoperative provided crew members are the only occupants of the aircraft.
03 All Cargo Operations	D	1	0	May be inoperative.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A	Revision No. Original Date: Dec. 22, 2017	Page: 33-5		
System & Sequence Numbers	1.	2.	3.	4.
			Number Installed	Number Required for Dispatch
				Remarks or Exceptions
33 LIGHTS				
51-01 Exterior EMER Lights	A	-	0	(O) May be inoperative for one flight day provided: a) Aircraft crew are the only occupants of the aircraft, and b) Alternate procedures for that aircraft type are established and used.
	C	-	0	NOTES: 1. For the purposes of this item, "aircraft crew" means the operating crew members including the flight crew members, cabin attendants, aircraft maintenance personnel and supervisory crew members. 2. The operators MEL must state the maximum number of aircraft crew permitted. May be inoperative for day operations.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. 03 Date: Feb. 21, 2020		Page: 34-1	
System & Sequence Numbers		1.	2.	3. Number Installed	
				4. Remarks or Exceptions	
34	NAVIGATION				
12-03	Main Altimeter		2	2	Must be operative.
13-01	Airspeed Indicator				
	01 Speed Indication		2	2	Must be operative.
	02 Speed Selector	C	2	0	(O) No change from EASA MMEL.
	03 Standby Airspeed Indicator		1	1	Must be operative.
14-01	Vertical Speed Indicator	B	2	1	One may be inoperative for day VMC.
15-01	TAT/SAT - TAS Indicator				
	01 TAS Indication	C	1	0	No change from EASA MMEL.
	02 Temperature Indication	C	2	1	(O)
	03 SAT Switching	C	1	0	No change from EASA MMEL.
16-01	Altitude Alerting System	A	1	0	(O) Except where enroute operations require its use, may be inoperative provided: a) Autopilot altitude hold is operative, and b) Repairs are made within three flight days.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 34-2	
System & Sequence Numbers		1.	2.	3. Number Installed	
				3. Number Required for Dispatch	
				4. Remarks or Exceptions	
34	NAVIGATION				
20-02	Direction Indications				
	01 Compass Magnetic Modes	B	2	1	(O) One may be inoperative for flights within areas of magnetic reliability provided: a) Compass system operates normally in free gyro mode, and b) Free gyro mode is converted to magnetic mode using operative magnetic heading information.
		B	2	0	(O) May be inoperative for flights that are entirely within areas of magnetic unreliability provided at least two stabilized directional gyro systems are installed, operative and, if necessary, used in conjunction with approved free gyro navigation techniques.
	02 Compass Free Gyro Modes	B	2	0	(O) One or both may be inoperative for flights that are entirely within areas of magnetic reliability (areas south of Northern Domestic Airspace).
26-01	Slip-Skid Indicator	B	2	1	One may be inoperative on the pilot not-flying side provided the indicator is clearly identified to the flight crew as inoperative.
27-01	Standby Horizon	B	1	0	(M) May be inoperative for day VMC provided the instrument is clearly identified to the flight crew as inoperative.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 34-3	
System & Sequence Numbers		1.	2.	3.	4.
			Number Installed	Number Required for Dispatch	Remarks or Exceptions
34	NAVIGATION				
28-01	Standby Magnetic Compass	B	1	0	May be inoperative provided any combination of three gyro or INS (IRU) stabilized compass systems are operative.
		B	1	0	(O) May be inoperative provided: a) Any combination of two gyro or INS (IRU) stabilized compass systems operate normally, and b) Aircraft is operated: 1) With dual independent navigation capability, and 2) Under positive radar control by ATC during the en-route flight phase, or one of the navigation systems is a TSO'd GPS which provides track information.
		C	-	-	(O) May be inoperative for flights that are entirely within areas of magnetic unreliability provided at least two stabilized directional gyro systems are installed, operative and, if necessary, used in conjunction with approved free gyro navigation techniques.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. 03 Date: Feb. 21, 2020		Page: 34-4	
System & Sequence Numbers		1.	2.	3. Number Installed	
				4. Number Required for Dispatch	
				4. Remarks or Exceptions	
34	NAVIGATION				
33-01	Marker Beacon System	D	1	0	May be inoperative provided procedures do not require its use.
42-01	Radio Altimeter System				
	With Mod 5967	D	2	1	One may be inoperative.
	With or Without Mod 5967	A	-	0	(O) May be inoperative provided: a) GPWS is turned OFF, b) ACAS is set to STBY, and c) Repairs are made within three flight days.
48-02	Ground Proximity Warning System (GPWS)				
	01 GPWS	A	-	0	(O) May be inoperative provided: a) Alternate procedures are established and used, and b) Repairs are made within three flight days.
	02 Modes 1 to 4	A	-	0	(O) May be inoperative provided: a) Alternate procedures are established and used, and b) Repairs are made within three flight days.
	03 Test Mode	A	-	0	May be inoperative provided: a) The GPWS is considered inoperative, and b) Repairs are made within three flight days.
	04 Glideslope Deviation (Mode 5)	B	-	0	

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. 03 Date: Feb. 21, 2020		Page: 34-5	
System & Sequence Numbers		1.	2.	3. Number Installed Number Required for Dispatch	
				4. Remarks or Exceptions	
34	NAVIGATION				
48-02	Ground Proximity Warning System (GPWS) (cont'd)				
05	Terrain Awareness & Warning System (TAWS)	C	1	0	(O) May be inoperative.
06	Advisory Callouts (Mode 6) (if installed)	C	-	0	(O) No change from EASA MMEL.
50-01	Navigation Systems (VOR-DME-ADF)				
01	VOR	C	-	-	(O) Any in excess of those required by regulations and not powered by an emergency or standby electrical bus may be inoperative.
02	DME / ADF	D	-	-	(O) Any in excess of those required by regulations may be inoperative.
52-01	SSR Transponder System – Mode A/C Functions (if installed)	D	-	-	Any in excess of those required may be inoperative.
52-02	SSR Transponder System – Mode S Functions				Deleted. Refer to EASA MMEL.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. 03 Date: Feb. 21, 2020	Page: 34-6
System & Sequence Numbers	1.	2.	Number Installed
		3.	Number Required for Dispatch
		4.	Remarks or Exceptions
34	NAVIGATION		
52-03	SSR Transponder System – Enhanced Surveillance Function (if installed)		Deleted. Refer to EASA MMEL.
52-04	SSR Transponder System – Extended Squitter Transmission Function (if installed)		Deleted. Refer to EASA MMEL.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. 03 Date: Feb. 21, 2020		Page: 34-7	
System & Sequence Numbers	1.	2.	Number Installed		
			3. Number Required for Dispatch		
			4. Remarks or Exceptions		
34 NAVIGATION					
57-01 Airborne Collision Avoidance System					
01 ACAS System	B	-	0	(M)	May be inoperative provided the system is deactivated and secured.
02 Combined TA and RA Dual Display	C	-	1	(O)	No change from EASA MMEL.
58-01 GPS / GNSS (if installed)					Deleted. Refer to EASA MMEL.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. 05 Date: Aug. 14, 2023		Page: 34-8	
System & Sequence Numbers		1.	2.	3. Number Installed	
				3. Number Required for Dispatch	
				4. Remarks or Exceptions	
34	NAVIGATION				
60-01	Flight Management System (FMS) (STC SA12-39)				
01	Navigation Capability	C	2	1	May be inoperative provided operations into NAT MNPS airspace and GPS LVP or LP approaches are not conducted.
		C	2	0	(O) May be inoperative provided: a) Operations are conducted on airways, air routes or company approved routes, outside of CMNPS airspace and NAT MNPS airspace, b) Remaining navigation system provide sufficient accuracy to maintain a centerline within the protected airspace of the approved track, and c) GPS approaches are not conducted.
02	Auto Pilot Coupling	B	1	0	(O)
03	GPS Data Base	C	-	0	See item 34-61-02

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. 05 Date: Aug. 14, 2023		Page: 34-9	
System & Sequence Numbers		1.	2.	3. Number Installed	
				3. Number Required for Dispatch	
				4. Remarks or Exceptions	
34	NAVIGATION				
61-02	Navigation Databases	C	-	0	(O) May be out of currency provided: a) Current Aeronautical Charts are used to verify Navigation Fixes prior to dispatch, b) Procedures are established and used to verify status and suitability of Navigation Facilities used to define route of flight, c) Approach Navigation Radios are manually tuned and identified, and d) Approaches are not conducted using associated system.
71-01	Electronic Flight Instrument System (EFIS) Display		4	4	Must be operative.
71-02	Symbol Generator Unit (SGU)	A	2	1	One may be inoperative provided: a) Flight is restricted to day VMC, b) Both RMIs operate normally, and c) Repairs are made within one flight day.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 35-1	
System & Sequence Numbers		1.	2.	3. Number Installed	
				4. Number Required for Dispatch	
				4. Remarks or Exceptions	
35	OXYGEN				
13-01	Flight Deck Pressure Indication	C	1	0	No change from EASA MMEL.
13-02	Observer Seat Oxygen Mask	B	1	0	May be inoperative provided it is selected OFF and the seat is not occupied.
20-01	Passenger Oxygen System				
	01 Passenger Configuration	B	1	0	(O) May be inoperative provided: a) Minimum enroute altitude does not exceed 13,000 ft above MSL, b) All air conditioning packs operate normally, c) Pressurization system operates normally, d) Flight remains at or below FL 250, e) Portable oxygen units are provided for all crew members and 10% of the passengers for half an hour (supplemental oxygen), and f) Passengers are appropriately briefed.
	02 Cargo Configuration	D	1	0	May be inoperative provided: a) Portable oxygen bottles are available to all crew members required to be off the flight deck, and b) An automatic warning system is installed in the cargo area to alert of a decompression, if crew members are required to be in the cargo area during flight.
		D	1	0	May be inoperative provided all crew members are on the flight deck.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 35-2
System & Sequence Numbers		1.	2.	3. Number Installed
				3. Number Required for Dispatch
				4. Remarks or Exceptions
35	OXYGEN			
20-01	Passenger Oxygen System (cont'd)			
03	Passenger Service Unit	D	-	-
				(O)(M) May be inoperative with no flight altitude restriction provided: a) Affected seats or bank of seats are blocked and placarded INOPERATIVE to prevent occupancy, b) No more than two consecutive bank of seats and their adjacent bank of seats have an inoperative PSU, and c) Units at assigned cabin attendant locations are operative.
04	Non-Passenger Carrying Operations	C	1	0
				May be inoperative for non-passenger carrying operations provided portable oxygen bottles are available to all crew members required to be off the flight deck.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 35-3
System & Sequence Numbers		1.	2.	3. Number Installed
				4. Number Required for Dispatch
				4. Remarks or Exceptions
35	OXYGEN			
35-01	Portable Oxygen Bottle			
	01 Passenger Configuration	D	-	-
				(O)(M) Any in excess of those required by regulations may be inoperative or missing provided: a) Required distribution of operative units is maintained throughout the aircraft, b) The inoperative portable oxygen dispensing unit is removed from the passenger cabin and its location is placarded INOPERATIVE, or it is removed from the installed location, secured out of sight and the portable oxygen dispensing unit and its installed location are placarded INOPERATIVE, and c) Procedures are established and used to alert crew members of inoperative or missing equipment.
	02 Cargo Configuration	D	-	0
				Not required for cargo operations.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 36-1	
System & Sequence Numbers		1.	2.	3. Number Installed	
				4. Number Required for Dispatch	
				4. Remarks or Exceptions	
36	PNEUMATIC SYSTEM				
11-03	Bleed FAULT Alert	C	2	1	No change from EASA MMEL.
		C	2	1	No change from EASA MMEL.
11-06	OVHT Alert	C	2	1	No change from EASA MMEL.
22-01	LEAK Alert	C	2	1	No change from EASA MMEL.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 38-1	
System & Sequence Numbers		1.	2.	3. Number Installed	
				4. Number Required for Dispatch	
				4. Remarks or Exceptions	
38	WATER / WASTE				
10-01	Potable Water System	C	1	0	(O)(M) System may be inoperative provided: <ul style="list-style-type: none"> a) Tank is drained and inspected to ensure no leakage, and b) Procedures are established to deactivate applicable system components to prevent its use or servicing. NOTES: <ul style="list-style-type: none"> 1. The (O) procedure addresses other means for water provision for crew members as well as the need to advise of system status during crew changes. 2. Aviation Occupational Health & Safety (AOH&S) requirements should be addressed.
		C	-	-	(O)(M) Individual components may be inoperative provided: <ul style="list-style-type: none"> a) Associated components are deactivated or isolated, and b) Associated system components are verified not to have leaks. NOTE: Any portion of the system that operates normally may be used.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 38-2	
System & Sequence Numbers		1.	2.	3. Number Installed	
				3. Number Required for Dispatch	
				4. Remarks or Exceptions	
38	WATER / WASTE				
30-01	Lavatory Waste System	C	1	0	(O)(M) May be inoperative provided: <ul style="list-style-type: none"> a) Waste is drained and system is inspected for leakage, b) Procedures are established to deactivate system components, and c) Lavatory door is locked closed and placarded "INOPERATIVE - DO NOT ENTER". <p>NOTE: Aviation Occupational Health & Safety (AOH&S) requirements should be addressed.</p>
		C	-	-	(O)(M) Individual components may be inoperative provided: <ul style="list-style-type: none"> a) Associated components are deactivated or isolated, and b) Associated system components are verified not to have leaks. <p>NOTE: Any portion of the system that operates normally may be used.</p>

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. 03 Date: Feb. 21, 2020		Page: 46-1	
System & Sequence Numbers		1.	2.	3. Number Installed Number Required for Dispatch	
				4. Remarks or Exceptions	
46 INFORMATION SYSTEMS					
25-01 Electronic Flight Bag					
01 System Device	C	-	-	(O)(M)	May be inoperative provided alternate procedures are established and used.
	D	-	0		May be inoperative provided procedures do not require its use.
02 Mounting Device	C	-	0	(O)(M)	May be inoperative provided: a) Associated EFB and hardware is secured by an alternate means or removed from the aircraft, and b) Alternate procedures are established and used.
	D	-	0	(M)	May be inoperative provided: a) Associated EFB and hardware is secured by an alternate means or removed from the aircraft, and b) Procedures do not require its use.
03 Power Connection	C	-	-	(O)	May be inoperative provided alternate procedures are established and used.
	D	-	0		May be inoperative provided procedures do not require its use.
04 Data Connectivity	C	-	-	(O)	May be inoperative provided alternate procedures are established and used.
	D	-	0		May be inoperative provided procedures do not require its use.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. 01 Date: Jan. 08, 2018		Page: 52-1
System & Sequence Numbers	1.	2.	Number Installed	3. Number Required for Dispatch
				4. Remarks or Exceptions
52 DOORS				
21-01 Emergency Exit (Including Passenger/Crew Doors, Service Door, but Excluding Flight Deck Emergency Exits)	A	-	-	<p>(O)(M) One Type I or one Type III emergency exit may be inoperative for three flight days provided:</p> <ul style="list-style-type: none"> a) Only the aircraft crew are carried, b) Affected emergency exit is verified closed, latched and locked prior to each flight, c) Aircraft crew are advised of the nature (emergency exit availability) and extent of the unserviceability and that evacuation procedures do not include affected exit, though opposite exit may be used, d) A conspicuous sign or placard indicating that the exit is inoperative is attached to exit, and e) Emergency exit signs and lights associated only with the inoperative exit are obscured (NOTE 3). <p>NOTES:</p> <ul style="list-style-type: none"> 1. For the purpose of this item, "aircraft crew" includes the operating crew members including the flight crew members, cabin attendants, aircraft maintenance personnel and supervisory crew members. 2. The maximum number of aircraft crew permitted is 6. 3. Exit locator signs and emergency aisle path markings which are shared between two exits must not be obscured. 4. Cargo may be carried.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 56-1	
System & Sequence Numbers	1.	2.	Number Installed		
			3.	Number Required for Dispatch	
			4.	Remarks or Exceptions	
56	WINDOWS			<p>RELIEF NOT PERMITTED.</p> <p>REFER TO STRUCTURAL REPAIR</p> <p>MANUAL (SRM).</p>	

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. 02 Date: Jul. 04, 2018		Page: 61-1	
System & Sequence Numbers	1.	2.	Number Installed		
		3. Number Required for Dispatch			
		4. Remarks or Exceptions			
61 PROPELLERS					
45-01 LO PITCH CAUTION Light	B	2	0	(O)	One or both may be inoperative provided: a) CCAS ENG caution light and associated LP warning circuit is operative, and b) Neither reverser is used at landing.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. 03 Date: Feb. 21, 2020		Page: 77-1	
System & Sequence Numbers		1.	2.	3. Number Installed	
				4. Number Required for Dispatch	
				4. Remarks or Exceptions	
77	ENGINE INDICATING				
00-02	AFU		2	2	Must be operative.
11-01	NH Indications	C	4	2	Counter (digital indicator) on each engine may be inoperative provided all other indications on associated engine operate normally.
13-01	TQ Indications				
13-01-01	Digital Counter	C	2	0	(M) One or both digital counters may be inoperative provided that: a) Both EECs are operative, b) HBV is checked operative, and c) All other indications on associated engine operate normally.
13-01-02	Pointer & Digital Counter		2	2	Pointer must be operative.

TRANSPORT CANADA
Master Minimum Equipment List
Supplement

Aircraft: ATR72-212A		Revision No. Original Date: Dec. 22, 2017		Page: 79-1
System & Sequence Numbers	1.	2.	Number Installed	3. Number Required for Dispatch
				4. Remarks or Exceptions
79 OIL				
32-01 Oil Temperature Indication	2	2	2	Must be operative.
33-01 Oil Pressure Indication	2	2	2	Must be operative.